

Slot Sampler

Multilevel Sampler gives a Single Composite Sample

The Slot Sampler is ideal for taking a large volume, cross sectional sample from a container. The sampler has a robust all stainless steel construction and is suitable for sampling free flowing powders and granules.

- Cross section, composite sample
- Suitable for taking large volume samples

Slot Samplers are supplied with pointed tips. Rounded Tips are available as an option.













Sample being discharged from a Standard Slot Sampler without a Bottle Holder

Operation

- 1. Insert the sampler into the product
- 2. Turn the handle to open the slot the product can now be collected in the central tube
- 3. Turn the handle to close the slot
- 4. Remove the sampler
- 5. Invert the sampler to discharge the sample






Emptying from standard Sampler Emptying from sampler with a bottle adapter





The Slot Sampler is available with a bottle holder. This enables the sample to be emptied directly into a bottle.

- Improved Containment •
- Save time
- Can be used with either a 250ml or 500ml bottle



A Slot Sampler taking a sample from a drum

| Can be used with either a 250ml or 500ml bottle OUOTE REQUEST BUY ON | | | | | | |
|----------------------------------------------------------------------|------------------------------------------------------|--------|----------|----------------------|--------|---|
| Stock No. | Bottle Hldr | Length | Diameter | Material | Volume | |
| 675 1210A300 | No | 300mm | 25mm | 316L stainless steel | 45ml | 3 |
| 675 1210A600 | No | 600mm | 25mm | 316L stainless steel | 110ml | 3 |
| 6751210A1000 | No | 1000mm | 25mm | 316L stainless steel | 190ml | 4 |
| 675 1210A1500 | No | 1500mm | 25mm | 316L stainless steel | 300ml | 5 |
| 675 1210A2000 | No | 2000mm | 25mm | 316L stainless steel | 370ml | 5 |
| 675 1210B600 | Yes* | 600mm | 25mm | 316L stainless steel | 110ml | 3 |
| 675 1210B1000 | Yes* | 1000mm | 25mm | 316L stainless steel | 190ml | 4 |
| 675 1210B1500 | Yes* | 1500mm | 25mm | 316L stainless steel | 300ml | 5 |
| 675 1210K1000 | No | 1000mm | 40mm | 316L stainless steel | 750ml | 3 |
| 6751210K1500 | No | 1500mm | 40mm | 316L stainless steel | 1000ml | 4 |
| 675 1210K2000 | No | 2000mm | 40mm | 316L stainless steel | 1300ml | 4 |
| 675 1210J900 | No | 900mm | 50mm | Aluminium | 880ml | 3 |
| 675 1210J1500 | No | 1500mm | 50mm | Aluminium | 1700ml | 5 |
| 675 1210J2500 | No | 2500mm | 50mm | Aluminium | 2900ml | 7 |
| 675 8165A250 | Sample collecting bottle - 250ml. HDPE | | | | | |
| 675 8165A500 | Sample collecting bottle - 500ml. HDPE | | | | | |
| 675 TIP2 | Round tip for 25mm diameter samplers (1210A & 1210B) | | | | | |
| 675 TIP3 | Round Tip for 40mm diameter samplers (1210K) | | | | | |

* Don`t forget to order a sample collecting bottle





Powder Trier


The QAQC LAB Powder Trier is ideal for taking a large volume, cross sectional sample from a container. The sampler has a robust all stainless steel construction and is suitable for sampling cereals, grains, free flowing powders, granules and even slightly cohesive powders

- Cross section (composite sample)
- 316 stainless steel, bright finish
- Suitable for taking a large volume sample from compacted powders, grains etc.









Operation

- 1. Insert the sampler into the product
- 2. Turn the handle to open the slot the product can now be collected in the central tube
- 3. Turn the handle to close the slot
- 4. Remove the sampler
- 5. Invert the sampler to discharge the sample

Note: The cutting scroll is not shown in the sketches

QUOTE REQUEST 📢

BUY ONLINE

| Stock No. | Length | Number of Slots | Max Sample Volume |
|---------------|--------|-----------------|-------------------|
| 675 1216A600 | 600mm | 3 | 110ml |
| 675 1216A1000 | 1000mm | 4 | 190ml |
| 675 1216A1500 | 1500mm | 5 | 300ml |